

STYLE REF: TC500

STYLE NAME: BROOKLYN

ProMan[®]
INDUSTRY DEFINING SAFETY FOOTWEAR

SPECIFICATION: EN ISO 20345:2022 S3S FO SR + EN 61340-4-3:2018 ESD | UK 3-13 (WHOLE SIZES) | COLOUR: BLACK ESD CERTIFIED, WITH PROTECTIVE TOECAP AND MIDSOLE, BROOKLYN IS LIGHTWEIGHT AND DEVELOPED WITH PREMIUM MATERIALS INCLUDING A SHOCK ABSORBING DUAL DENSITY PU OUTSOLE.

TC500



Upper Material

Polishable water repellent smooth black leather

Protective Components

Protective steel toecap and composite anti-penetration flexi-midsole

Lining Materials

Moisture wicking breathable mesh fabric lining

Scuff Cap and Outsole

Shock absorbing dual density PU outsole

Footbed

Anti-fatigue EVA footbed

SUBJECT TO CHANGE WITHOUT PRIOR NOTICE: 01/07/2024

Find this product at <https://www.rockfall.com/products/brooklyn>

Browse all products at <https://www.rockfall.com/products>

EU TYPE EXAMINATION CERTIFICATE



PRD N° 277B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

NOTIFIED BODY 2575

The PPE detailed herein meets the criteria of an EU Type Examination in accordance with Annex V, including the applicable clauses of the Essential Health and Safety Requirements of the PPE Regulation EU 2016/425.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425.

VALIDITY OF CERTIFICATE

This certificate will cease its validity at any time if needed, in particular if changes in the manufacturing process, in the raw materials or in PPE components will occur.

INTERTEK ITALIA SpA
Via Miglioli, 2/A
Cernusco sul Naviglio (MI),
Italy
T: +39 02 95383833
intertek.italia.notified.body@pec.it

Manufacturer: Rock Fall UK Ltd

Address: Major House Unit 1/3, Wimsey Way, Alfreton, Derbyshire DE55 4LS, UK

Authorised Representative: -

Address: -

Certificate No.: ITASLNB24007726

Category Product: II

Brand Name: ProMan

Model: Brooklyn

Article(s) code: TC500

Product type: Safety Footwear

Reference(s) Standard: EN ISO 20345:2022

Description:

Construction: Injected; Last: OXFORD; Mould: OXFORD; Upper Material: Buff C.G. Din leather; Toecap: Steel Toe Cap MR-61; Outsole: PU/PU; Perforation resistant insert: Non-metallic perforation resistance (ACTIV-STEP); Insock: NONWOVEN TEXTILE WITH EVA MOULDED: EU 36-48 (UK 3-13); Category: S3S FO SR.

This has been shown through satisfactory testing to: EN ISO 20345:2022

Examination of the Technical File Documentation, No: TF-ITASLNB24007726 - Rev.3 02/07/2024

Test Report no. See Technical File

Remark: This certificate annuls and replaces the previous certificate no. ITASLNB22016651.

Note:

Issued at: Lastra a Signa (FI)

Issue Date 10/07/2024

General Manager Elena Ruffino

Expiry Date 09/07/2029

For and on behalf of INTERTEK ITALIA SpA



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano - Italy

EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL TC500 Brooklyn

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **INTERTEK ITALIA SpA Via Miglioli, 2/A Cernusco sul Naviglio (MI), Italy Notified Body 2575**, who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **ITASLNB24007726**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

INTERTEK ITALIA SpA Via Miglioli, 2/A Cernusco sul Naviglio (MI), Italy Notified Body 2575

Signature:

A handwritten signature in black ink, appearing to read "R. Kinson".

Position: Director

Date: 10/07/2024

UKCA TYPE EXAMINATION CERTIFICATE

intertek
Total Quality. Assured.

UK CA

APPROVED BODY AB0362

The safety footwear detailed herein meets the criteria of a UKCA Type Examination in accordance with Regulation 2016/425 on personal protective equipment, as amended to apply in GB Essential Health and Safety Requirements (Annex II of EU Regulation 2016/425) for category II products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330

Manufacturer : Rock Fall UK Ltd
Major House Unit 1/3, Wimsey Way, Alfreton, Derbyshire,
DE55 4LS. United Kingdom.

Issue Date : 4 October 2022

Expiry Date : 4 October 2027

Certificate No. : LECFI00387120

Product Reference(s) : ProMan TC500 Brooklyn Brogue Safety Shoe

Description :

Construction	:	Direct Injection
Toecap	:	STEEL TOE CAP MR61
Midsole	:	APT
Last	:	Oxford
Sole	:	PU
Test Report(s)	:	See Technical File
Size Range	:	3-13
Category	:	S3 SRC



5320

Assessor: CBall Date: 04/10/2022

Certification Manager: RR Date: 04/10/2022

For and on behalf of ITS Testing Services (UK) Limited

intertek.com Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the

PPE described hereafter;

PROMAN TC500 Brooklyn

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **LECF100387120**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362**

Signature:



Position: Director

Date: 10/10/2022

TEST REPORT

NUMBER : DELF22009786
DATE : 08TH OCT,2022

APPLICANT : **Rock Fall UK Ltd.**
Major House Unit 1/3 Wimsey Way,, Alfreton,
Derbyshire, DE55 4LS, United Kingdom

ATTN : **Carol Harris**

SAMPLE DESCRIPTION : ONE PAIR SHOE (SIZE: 42)

DATE RECEIVED : 13TH SEPT, 2022
TESTING PERIOD : 23RD SEPT, 2022 TO 08TH OCT,2022
CONFIRMATION DATE : 30TH SEPT, 2022
BUYER NAME : -
ORDER NO. : -
COLOR : BLACK
STYLE NO. : TC500
STYLE NAME : PROMAN TC500 BROOKLYN BROGUE SAFETY SHOE
LAST : OXFORD
MOULD : OXFORD
SIZE : 42
END USE : SAFETY FOOTWEAR
MANUFACTURE NAME : EURO SAFETY FOOTWEAR(INDIA) PVT. LTD

TESTS CONDUCTED: AS PER THE APPLICANT'S REQUEST. FOR FURTHER DETAILS, PLEASE REFER TO THE ENCLOSED PAGES

CONCLUSION:

1 ELECTROSTATICS (WHOLE FOOTWEAR) M

NOTE: M = Meet buyer's requirement, F = Does Not Meet buyer's requirement
***= Not Provided, NA = Not Applicable**

REMARK: [1] SPECIFICATION FOR TESTING HAS BEEN PROVIDED BY THE APPLICANT.
[2] ABOVE TEST PERFORMED BY AN APPROVED SUBCONTRACTOR LABORATORY WHICH IS PART OF THE INTERTEK GROUP.
[3] IN THIS REPORT, RESULT RELATE ONLY TO THE ITEM TESTED

AUTHORIZED BY
For Intertek India Private Limited [Footwear]



SURJIT SINGH
MANAGER-FOOTWEAR

TEST REPORT

NUMBER : DELF22009786
DATE : 08TH OCT,2022

1. ELECTROSTATICS (WHOLE FOOTWEAR)				
(BS EN 61340-5-1:2016 & BS EN IEC 61340-4-3:2018)				
Preconditioning:	40°C±3°C, < 15% R.H. For 72 Hours			
Conditioning:	23°C±3°C, 12%±3% R.H. For 72 Hours			
Measurement:	23°C±3°C, 12%±3% R.H.			
Voltage:	100 V ± 5 V			
	RESULTS		Requirement BS EN 61340-5-1:2016	Pass/Fail
Size:42	Left:	2.6x10 ⁷ Ω	<1x10 ⁸ Ω	PASS
	Right:	2.4x10 ⁷ Ω		

END OF TEST REPORT

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.