

## FEATURES



Anti-Static



PS Rated Aramid  
Protective Midsole



Fibreglass Toecap



SR Slip Resistance



Fuel Oil Resistant  
Outsole



Larger Sizes

## INDUSTRIES



Automotive  
and Aerospace



Warehousing  
and Logistics

## Product Details

Colour: Black

Size Range: UK 3-15 inc

6.5 and 10.5

Height: 3 inches



## PRODUCT DESCRIPTION

Anti-Static, Fibreglass Toecap, Fuel Oil Resistant Outsole, Fully Sustainable Packaging, Large Sizes 14+, small sizes, PS Rated Aramid Protective Midsole, SR Slip Resistance, Vegan Friendly, Water Repellent Upper, Wide Fit, 100% Non-Metallic Construction

## MATERIAL BREAKDOWN

### Upper Material

Water repellent 100% Polyester Microfibre  
Suede + 100% Polyester Woven

### Lining

100% Polyester Mesh

### Laces

100% Polyester

### Footbed

EVA Foam + 100% Polyester Top Mesh

### Protective Toe cap

Fibreglass

### Protective Midsole

Activ-step® Aramid Fibre

### Outsoles

Dual Density PU

## TECHNOLOGIES & ACCREDITATIONS





| Category                                     | SB | S1 | S2 | S3/L/S | S4 | S5/L/S | S6 | S7/L/S |
|--|----|----|----|--------|----|--------|----|--------|
| Class 1                                      | ✓  | ✓  | ✓  | ✓      | ×  | ×      | ✓  | ✓      |
| Class 2                                      | ×  | ×  | ×  | ×      | ✓  | ✓      | ×  | ×      |
| 200 Joules Toecap                            | ✓  | ✓  | ✓  | ✓      | ✓  | ✓      | ✓  | ✓      |
| Closed heel Area                             | ×  | ✓  | ✓  | ✓      | ✓  | ✓      | ✓  | ✓      |
| Energy Absorption Of Seat Region             | ×  | ✓  | ✓  | ✓      | ✓  | ✓      | ✓  | ✓      |
| Anti-Static                                  | ×  | ✓  | ✓  | ✓      | ✓  | ✓      | ✓  | ✓      |
| Water Penetration And Absorption             | ×  | ×  | ✓  | ✓      | ×  | ×      | ✓  | ✓      |
| Perforation Resistance According To The Type | ×  | ×  | ×  | ✓      | ×  | ✓      | ×  | ✓      |
| Cleated Outsole                              | ×  | ×  | ×  | ✓      | ×  | ✓      | ×  | ✓      |
| Water Resistance Of The Entire Shoe          | ×  | ×  | ×  | ×      | ×  | ×      | ✓  | ✓      |

### EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

**Class 1** refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear  
**Class 2** Refers to all polymeric footwear including all rubber footwear.

**S3, S5, S7** Specify metallic midsole tested at 1100N.

**S3L, S5L, S7L** specify non-metal midsole tested at 1100N with a 4.5mm nail.

**S3S, S5S, S7S** specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification **does not** necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

## WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for you feet.

## FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



More info on this style at:

[WWW.ROCKFALL.COM/BRIDGEPORT](http://WWW.ROCKFALL.COM/BRIDGEPORT)

Tel. +44 (0) 1773 608616  
 Email. [sales@rockfall.com](mailto:sales@rockfall.com)

Rock Fall UK  
 Wimsey Way, Somercoates  
 Alfreton DE55 4LS  
 United Kingdom

# EU TYPE EXAMINATION CERTIFICATE



PRD N° 277B

Membro degli Accordi di Mutuo  
Riconoscimento EA, IAF e ILAC  
Signatory of EA, IAF and ILAC  
Mutual Recognition Agreements

## NOTIFIED BODY 2575

The PPE detailed herein  
meets the criteria of an EU  
Type Examination in  
accordance with Annex V,  
including the applicable  
clauses of the Essential  
Health and Safety  
Requirements of the PPE  
Regulation EU 2016/425.

Following an EU Declaration  
of Product Conformity you  
are hereby licensed to mark  
the product(s) detailed in  
accordance with Article 17 of  
the PPE Regulation EU  
2016/425.

## VALIDITY OF CERTIFICATE

This certificate will cease its  
validity at any time if needed,  
in particular if changes in the  
manufacturing process, in the  
raw materials or in PPE  
components will occur.

INTERTEK ITALIA SpA  
Via Miglioli, 2/A  
Cernusco sul Naviglio (MI),  
Italy  
T: +39 02 95383833  
intertek.italia.notified.body  
@pec.it

**Manufacturer:** Rock Fall UK Ltd

**Address:** Major House Unit 1/3, Wimsey Way, Alfreton, Derbyshire DE55 4LS, UK

**Authorised Representative:** -

**Address:** -

**Certificate No.:** ITASLNB24007725

**Category Product:** II

**Brand Name:** ProMan

**Model:** Hartford, Bridgeport

**Article(s) code:** PM4020, PM4040

**Product type:** Safety Footwear

**Reference(s) Standard:** EN ISO 20345:2022

### Description:

Construction: Injected; Last: ROCKLIN; Mould: ROCKLIN; Upper Material: MICROFIBER SUEDE, MICROFIBER ARBSTRONG, CORDURA; Toecap: FIBER GLASS TOE CAP 3803; Outsole: PU/PU; Perforation resistant insert: Non-metallic perforation resistance (ACTIV-STEP); Insock: ANTISTATIC HI POLY WITH MESH; Size Range: EU 36-50 (UK 3-15); Category: S3S FO SR. Model/Article: PM4020 Hartford; PM4040 Bridgeport.

This has been shown through satisfactory testing to: EN ISO 20345:2022

Examination of the Technical File Documentation, No: TF-ITASLNB24007725 - Rev.4 27/06/2024

Test Report no. See Technical File

**Remark:** This certificate annuls and replaces the previous certificate no. ITASLNB21022891.

### Note:

**Issued at:** Lastra a Signa (FI)

**Issue Date** 10/07/2024

**General Manager** Elena Ruffino

**Expiry Date** 09/07/2029

For and on behalf of INTERTEK ITALIA Spa



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano - Italy

## EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,  
Unit 1/3, Wimsey Way,  
Alfreton, Derbyshire, DE55 4LS  
United Kingdom  
Tel: **01773 608616**  
Email: **sales@rockfall.com**  
**rockfall.com**

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Declares that the PPE described hereafter;

### **ROCK FALL PM4040 Bridgeport**

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to: **Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **ITASLNB24007725**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

**Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light gray, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 10/07/2024