

STYLE REF: RF001


STYLE NAME: ALASKA

Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

SPECIFICATION: EN ISO 20345:2011 S3 CI HRO SRC + ASTM F 2413- 24 I/C PR
SIZE UK 3-14 (WHOLE SIZES) | COLOUR: BLACK

WITH A PROTECTIVE TOECAP AND MIDSOLE, ALASKA IS A COLD TEMPERATURE BOOT DEVELOPED WITH SPECIALIST MATERIALS THAT ARE CERTIFIED FOR USE IN TEMPERATURES AS LOW AS -30° INCLUDING; 100% RECYCLED COSMOTHERM 600 AND FUR LINING AND A SHOCK ABSORBING SOLID NITRILE RUBBER OUTSOLE. IT FEATURES A YKK SIDE ZIP FOR CONVENIENCE.

RF001



activ
step

Upper Material

Water repellent full grain black leather

Protective Components

Protective fibreglass toecap and composite anti-penetration flexi-midsole

Lining Materials

100% post consumer recycled polyester fur and cosmotharm 600 warm lining tested to -30°C

Scuff Cap and Outsole

Shock absorbing nitrile rubber outsole

Footbed

Activ-step 81% recycled foam footbed with a 100% post consumer recycled polyester fur upper

SUBJECT TO CHANGE WITHOUT PRIOR NOTICE: 01/05/2021

Find this product at <https://www.rockfall.com/products/alaska>

Browse all products at <https://www.rockfall.com/products>

PROUDLY MANUFACTURED BY ROCK FALL UK, MAJOR HOUSE, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS

UKCA Type-Examination Certificate

Certificate number: AB0321/16496-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:
Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Rock Fall RF001 Alaska

Description:

Ankle safety boot comprising black crazy horse upper leather with a brown fur lining. 6 eyelets and 2 ski hooks comprise the laced fastening system. PEP-Composite toe cap and PEP-Composite perforation resistant insert with a cemented outsole referenced 2061#RB.

Classification:**EN ISO 20345:2011 S3 CI HRO SRC****ASTM F 2413-18 M/IC PR****Size Range: 3 – 14 UK**

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

Intertek: GZHT90904876, GZHT90644964, GZHT90964167, GZHT90593751, GZHT90608902, GZHT90637873, GZHT90837994, GZHT90623658, GZHT90593754, GZHT90658444, GZHT90544038, GZHT90789086, GZHT90891082, GZHT90876015, GZHT90577845, GZHT90607597, GZHT90573543, GZHT90831741, GZHT90833061, GZHT90771873, GZHT90835408, GZHT91015458

CTC: D190102078_1, D190304114_1, D181120663_1

LCTECH: LCZC17040400-E, LCZC15070148-E

CTT: CTT1911016598EN, CTT2002010626EN

Pete Doughty

Date first issued: 29/04/2021**Date of issue: 29/04/2021****Expiry date: 29/04/2026**

Signed on behalf of SATRA:

UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the

PPE described hereafter;

ROCK FALL RF001 Alaska

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16496-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", is written over a large, light grey, stylized mountain peak graphic that spans the bottom right of the page.

Position: Director

Date: 29/04/2021



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15486-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the EU Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of Annex II of the PPE Regulation (EU) 2016/425 as a Category II product.

Product reference:

Rock Fall RF001 Alaska

Description:

Ankle safety boot comprising black crazy horse upper leather with a brown fur lining. 6 eyelets and 2 ski hooks comprise the laced fastening system. PEP-Composite toe cap and PEP-Composite perforation resistant insert with a cemented outsole referenced 2061#RB.

Classification:

EN ISO 20345:2011 S3 CI HRO SRC

ASTM F 2413-18 M/IC PR

Size Range: 3 – 14 UK

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

Intertek: GZHT90904876, GZHT90644964, GZHT90964167, GZHT90593751, GZHT90608902, GZHT90637873, GZHT90837994, GZHT90623658, GZHT90593754, GZHT90658444, GZHT90544038, GZHT90789086, GZHT90891082, GZHT90876015, GZHT90577845, GZHT90607597, GZHT90573543, GZHT90831741, GZHT90833061
CTC: D190102078_1, D190304114_1, D181120663_1
LCTECH: LCZC17040400-E, LCZC15070148-E
CTT: CTT1911016598EN, CTT2002010626EN

Signed on behalf of SATRA:

Date first issued: 17/12/2020

Date of issue: 17/12/2020

Hannah Coe

Geoff Graham

Expiry date: 17/12/2025

EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF001 Alaska

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15486-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:



Position: Director

Date: 18/12/2020

Certificate of Conformance (COC)

Certificate No. 2504052

Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE: 2061#, TOECAP: PEP-COMPOSITE, MIDSOLE: PEP-COMPOSITE

Style name: RF001

Gender: Unisex (Tested size US9)



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D250306669_1	27 March, 2025
5.3 Compression Resistant (C)	D250306669_1	27 March, 2025
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
April 02, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com



Total Quality. Assured.

TEST REPORT

Number: GZHT91219037

Applicant: ROCK FALL UK LIMITED
MAJOR HOUSE, UNIT 1/3, WIMSEY WAY,
ALFRETON, DERBYSHIRE, ENGLAND,
DE55 4L
Attn:

Date: Oct 17, 2023

Sample Description:

One (1) pair of submitted samples said to be Cemented lace up safety boots in Black.

Standard : EN ISO 20345:2022

Size : UK 7

Insert Plate : PEP-COMPOSITE

Toe Cap : PEP-COMPOSITE

Sole : 2061# RB

Date Received/Date Test Started: Oct 10, 2023

Date Final Information Confirmed/ --/--

Date Payment Received:

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at gzfootwear@intertek.com

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch

Guiliang Dong
Senior Lab Manager

/andygtliu



Page 1 Of 3

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 020 28209114 Postcode: 510730

www.intertek.com

检验检测专用章

INTERTEK SHENZHEN BRANCH (6)

Cold Insulation Of Outsole Complex (Whole Footwear) (EN ISO 20344:2021, 5.16, Modified)

Test Condition:	
Thermal Transfer Medium:	Stainless Steel Balls With 5 mm Diameter And A Total Mass Of (4 ± 0.1) kg
Temperature Of Cold Box:	-30°C
Test Period:	(30 ± 1) Minutes

Sample	Size	Result		Applicant's Requirement	Pass/Fail
-	7	Left	8.5°C Temperature Decrease. (#)	*	Pass

Remark: * = Max. 10°C Temperature Decrease On The Upper Surface Of The Insole Or Insock.
Except For The Insock, The Insulation Shall Be Incorporated In The Footwear In Such A Manner That It Cannot Be Removed Without Damaging The Footwear.

= Except For The Insock, The Insulation Is Incorporated In The Footwear That It Cannot Be Removed Without Damaging The Footwear.

Expanded Uncertainty: 0.36°C, With k= 2.01 At 95% Confidence Level.



End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. No copy of the test report(except for full text copy) shall be made without the written approval by Intertek.

andygtliu

Page 3 Of 3

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 020 28209114 Postcode: 510730

www.intertek.com

检验检测专用章

SHENZHEN
GUANGZHOU BRANCH
(6)