

## FEATURES



Anti-Static



PS Rated Aramid Protective Midsole



Heat Resistant Outsole to 300°C



Fuel Oil Resistant Outsole



Steel Toecap



SR Slip Resistance



Larger Sizes



Recycled Materials



Cold Insulation



Heat Insulation

## INDUSTRIES



Highways



Rail



Construction



Engineering



Quarry and Mining



Emergency Services



Security



Utilities

## Product Details

Colour: Blac  
Size Range: UK 3-15  
Height: 6 inches  
Weight: 40g



## PRODUCT DESCRIPTION

Anti-Static, Cold Insulation of Outsole to 150°C, Fibreglass Toecap, Fuel Oil Resistant Outsole, Fully Sustainable Packaging, Fully Waterproof, Heat Resistant Outsole to 300°C, Heat Insulation of Outsole to 150°C, Ladder Grip, Large Sizes 14+, PS Rated Aramid Protective Midsole, Small Sizes, SR Slip Resistance, Water Repellent Upper, Wide Fit, 100% Non-Metallic, Dual Footbed System

## MATERIAL BREAKDOWN

**Upper Material:** Water Repellent Full Grain Leather, LWG Certified

**Webbing + Trims:** Pull loop Leather as upper

**Laces:** 100% Post Consumer Recycled Polyester

**Thread:** Bonded Nylon

**Eyelets:** Plastic

**Lining:** 60% Post Consumer Recycled Polyester + 40% Nylon

**Membrane:** Activ-Tex® Waterproof + Breathable Membrane

**Footbed:** Anti-fatigue Dual System: EVA Foam + 100% Polyester Top Mesh

**Protective Toecap:** Fibreglass

**Scuff cap:** FORCE10® TPU

**Protective Midsole:** Activ-step® Aramid Fibre

**Kick Protector:** FORCE10® TPU

**Outsole:** FORCE10® Nitrile rubber

## TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	×	×	✓	✓
Class 2	×	×	×	×	✓	✓	×	×
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	×	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	×	✓	✓	✓	✓	✓	✓	✓
Anti-Static	×	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	×	×	✓	✓	×	×	✓	✓
Perforation Resistance According To The Type	×	×	×	✓	×	✓	×	✓
Cleated Outsole	×	×	×	✓	×	✓	×	✓
Water Resistance Of The Entire Shoe	×	×	×	×	×	×	✓	✓

### EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

**Class 1** refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear

**Class 2** Refers to all polymeric footwear including all rubber footwear.

**S3, S5, S7** Specify metallic midsole tested at 1100N.

**S3L, S5L, S7L** specify non-metal midsole tested at 1100N with a 4.5mm nail.

**S3S, S5S, S7S** specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification **does not** necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

## WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for you feet.

## FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out,.

More info on this style at:

[WWW.ROCKFALL.COM/SLATE](http://WWW.ROCKFALL.COM/SLATE)

Tel. +44 (0) 1773 608616  
Email. [sales@rockfall.com](mailto:sales@rockfall.com)

Rock Fall UK  
Wimsey Way, Somercoates  
Alfreton DE55 4LS  
United Kingdom





Issued to:

Rock Fall UK Ltd  
Major House  
Unit 1/3 Wimsey Way  
Alfreton  
Derbyshire  
DE55 4LS  
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

## EU Type-Examination Certificate

**Certificate number: 2777/13724-03/E00-00**

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product reference:**

Rock Fall RF460 Slate  
Rock Fall RF470 Clay  
Rock Fall RF222 Jet  
Rock Fall RF333 Melanite

**Description:**

Height of upper: Ankle boot (RF460/RF222), Half knee boot (RF470/RF333)  
Upper /Tongue: Black full grain leather  
Collar: Black PU  
Quarter/Vamp/Seat region/Tongue lining: Grey polyester mesh with membrane  
Collar lining: Black sandwich mesh  
Fastening:  
6 eyelets plus one extra eyelet on a reinforced T-plate surrounding outside the ankle(RF460)  
4 eyelets and 3 D-rings(RF470)  
4 eyelets with 2 D-rings with side zipper(RF222)  
5 eyelets with 3 D-rings with side zipper(RF333)  
Toecap: Non-metallic referenced FJ1604  
Perforation resistance insole: Non-metallic insole referenced QY17800  
Construction: Injection  
Insock: Black polyester BK mesh + PU full removable insock  
Sole: Black PU & Rubber  
Sole Pattern: FORCE10

Available colour: Black

**Sizes:** EUR 36-50

**Classification:**

RF222/RF333: EN ISO 20345: 2022 S7S HI CI HRO FO SR LG

RF460/RF470: EN ISO 20345: 2022 S7S HI CI HRO FO SR SC LG

Standards/Technical specifications applied:  
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT0288456/1932 Issue 2, CHT0288842/1934 Issue 3, CHT0287486/1928 Issue 3, FWT0300279/2029 Issue 1,  
CHT1513M7F5, CHT2288F4M9, CHT2001983  
Intertek: GZHT91189629(S1)  
SGS: SL92119302020301FW-1, SL92209241306801FW  
CTC: D230715588\_1, D230715391\_1, D230715784\_1

**Date first issued:** 25/11/2019

**Date of issue:** 17/09/2024

**Expiry date:** 17/09/2029

Signed on behalf of SATRA:

Geoff Graham

## EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,  
Unit 1/3, Wimsey Way,  
Alfreton, Derbyshire, DE55 4LS  
United Kingdom  
Tel: **01773 608616**  
Email: **sales@rockfall.com**  
**rockfall.com**

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Declares that the PPE described hereafter;

### **ROCK FALL RF460 Slate**

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the Union harmonised standard no. **EN ISO20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to: **SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland. Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/13724-03/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

**SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland. Notified Body 2777.**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light gray, stylized mountain peak graphic that spans the bottom right of the page.

Position: Director

Date: 17/09/2024