

FEATURES



Anti-Static



PS Rated Aramid Protective Midsole



Heat Resistant Outsole to 300°C



Fuel Oil Resistant Outsole



Waterproof Membrane



SR Slip Resistance



Fibreglass Toecap



Non Metallic



Recycled Materials



Scuff Cap

INDUSTRIES



Agricultural



Utilities



Cargo and Cruise Liners



Rail



Warehousing and Logistics



Engineering



Automotive and Aerospace



Emergency Services



House builders



Facility Management

Product Details

Colour: Black

Size Range: UK 6- 13

Height: 5 inches

Weight: 740g



PRODUCT DESCRIPTION

Anti-Static, Bio Based Materials, Fibreglass Toecap, Fuel Oil Resistant Outsole, Fully Sustainable Packaging, Heat Resistant Outsole to 300°C, PS Rated Aramid Protective Midsole, Recycled Materials, Scuff Cap, SR Slip Resistance, Waterproof Membrane, Water Penetration and Absorption of Upper, Water Repellent Upper, 100% Non-Metallic Construction

MATERIAL BREAKDOWN

Upper Material: Water Repellent Nubuck Leather, LWG Certified

Laces: 100% Recycled Post Consumer Polyester

Thread: Bonded Nylon

Eyelets: Plastic

Lining: 60% Post Consumer Recycled Polyester and 40% Nylon

Membrane: Activ-Tex® Waterproof + Breathable Membrane

Footbed: Activ-Step® Bio-Based Footbed - 73% Natural Rubber + 27% Synthetic Rubber + 100% Post Consumer Recycled Top Mesh

Protective Toecap: Fibreglass

Protective Midsole: Activ-step® Aramid Fibre

Outsole: EPR midsole and Nitrile rubber

FEATURES, TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	×	×	✓	✓
Class 2	×	×	×	×	✓	✓	×	×
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	×	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	×	✓	✓	✓	✓	✓	✓	✓
Anti-Static	×	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	×	×	✓	✓	×	×	✓	✓
Perforation Resistance According To The Type	×	×	×	✓	×	✓	×	✓
Cleated Outsole	×	×	×	✓	×	✓	×	✓
Water Resistance Of The Entire Shoe	×	×	×	×	×	×	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear

Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification **does not** necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for you feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

More info on this style at:

**WWW.ROCKFALL.COM/
PRODUCTS/ANAHEIM/**

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/26807-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:

RF620 Anaheim¹
RF625 Maple²

Description:

Design Type:

Ankle Boot (Design B)

Upper:	Black Nubuck 1.8-2.0mm ¹ ; Honey (Yellow) Nubuck 1.8-2.0mm ²
Collar:	Black Mesh ¹ ; Brown Mesh ²
Tongue:	Black Mesh ¹ ; Brown Mesh ²
Vamp Lining:	Black/White Flat Lunar Backed Waterproof Membrane
Quarter Lining:	Black/White Flat Lunar Backed Waterproof Membrane
Tongue Lining:	Black Sandwich Mesh ¹ ; Brown Sandwich Mesh ²
Collar Lining:	Black Sandwich Mesh ¹ ; Brown Sandwich Mesh ²
Counter Lining:	Black/White Flat Lunar Backed Waterproof Membrane
Counter Insert:	Black TPU ¹ ; Red TPU ²
Perforation Resistance:	PEP-Composite (Non-Metallic)
Toe Protection:	PEP-Composite (Non-Metallic)
Last Reference:	#PEP-PL
Sole Construction:	Cemented
Sole Material:	EPR + Rubber
Sole Reference:	2256# MD+RB
Insole:	PEP-Composite
Insock/Footbed:	Orange Mesh + PU/Latex Foam Full Removable Insock
Fastening System:	5 Rows of Nylon D-ring with Lace
Suff Cap:	Black Rubber
Size Range:	EUR 39-49#
Available Colour:	Black ¹ ; Yellow ²

Classification:

EN ISO 20345:2022 S7S SC HRO FO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT3429K7L7/Issue2, CHT5412X3F5, CHT9732C9C5, CHT10991J9Z2, CHT10846L1N8, CHT2015581/2446/1, CHT2015073/2445/1, CHT2015080/2445/1, CHT2016741/2449/1, CHT2017301/2451/1, FWT2014399/2444/1, CHT0328713/2212, Intertek: GZHT91126096, GZHT91168397, GZHT91279308, GZHT90947687, GZHT91048174, GZHT91203106, GZHT91203111, GZHT91203103, GZHT91096862, GZHT91292212, GZHT91323436.

CTC: D230305099_1, D230614163_1.

CTT: CTT2108011367EN, CTT2302010218EN, CTT2403014737EN, CTT2103011342EN, CTT2212012556EN, CTT2203010833EN.

Date first issued: 26/03/2025

Date of issue: 26/03/2025

Expiry date: 26/03/2030

Geoff Graham

Signed on behalf of SATRA:

EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF620 Anaheim

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/26807-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light gray, stylized mountain peak graphic that spans the bottom right of the page.

Position: Director

Date: 26/03/2025